

Class 1

Building Product Information Sheet

Product name (include the brand name):

Topliss Brothers Ultra Two-Way 131 shower head and hand shower

Other product names (variant, sub-variant, functional name, etc. if applicable)

Ultra Two-Way 131

Product identifier (if applicable):

131/C

This could be a Global Trade Item Number (GTIN) or any other distinguishable part/model number or identifier

Product description and its intended use (measurements, materials, usage):

Combination fixed shower head and hand shower with sliding diverter valve.

Shower head is brass construction with plastic spray plate that is adjustable for flow. Suitable for all pressures but most useful on medium-high pressure installations to alter flow rates for comfort.

Hand shower and hose are of plastic construction and are imported from Germany. Suitable for all pressures

This product is intended for use as a shower head in domestic, commercial and public amenities for the purpose of personal hygiene and/or sanitation.

Place of manufacture: Aotearoa New Zealand Overseas

Legal name of the manufacturer(s):

Topliss Brothers Precision Engineers Ltd.

Trading name of the manufacturer(s):

Topliss Brothers Precision Engineers Ltd.

New Zealand Business Number (NZBN):

Other Legal Entity Identifier (if available):

Address for service:

STREET NAME 249 Haven Road SUBURB Stepneyville

CITY, COUNTRY Nelson, New Zealand POSTCODE 7010

Website:

Email address:

Phone no. (if applicable):

Legal name of the importer (if applicable):

Trading name of the importer (if applicable):

New Zealand Business Number (NZBN):

Other Legal Entity Identifier (if available):

Address for service:

STREET NAME SUBURB

CITY, COUNTRY POSTCODE

Website:

Email address:

Phone no. (if applicable):

Relevant Building Code clauses:

B2 Durability — B2.3.1 (c)
 F2 Hazardous building materials — F2.3.1
 G1 Personal Hygiene — G1.3.2 (a)
 G12 Water Supplies — G12.3.2(c)

Statement on how the building product is expected to contribute to compliance:

B2 - Durability - B2.3.1 (c) When installed correctly, this product is subject to durability rating of 5 years. Proof of durability – This product exceeds this requirement evidenced by a service history in NZ of over 30 years with minimal returns from end users.
 F2 - Hazardous Building Materials - F2.3.1 This product is safe when handled and is constructed of materials that will not emit harmful concentrations of substances from exposed surfaces.
 G1 - Personal Hygiene - G1.3.2(a) This product is a sanitary fixture that is constructed and designed to be installed in a way that facilitates sanitation.
 G12 Water Supplies — G12.3.2(c) This product is manufactured as a sanitary fixture and meets the requirements of G12/AS1.

- *options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)*
- *standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured*
- *physical properties of the building product*
- *how the building product is intended to be used.*

Limitations on the use of the building product:

- Suitable for all water pressures.
- To be installed by a registered plumber.

Design requirements that would support the appropriate use of the building product:

This product is designed as a sanitary fixture and hence is not intended for the delivery of potable water.

Installation requirements *(also provide link to the product installation guide):*

This model has a 1/2" BSP internal thread connection and requires the addition of a piece of 1/2" brass nipple tube, cut to length and fitted with thread sealant when fitted to a standard wingback.
Hand shower can be hung from a wall bracket.

Maintenance requirements *(also provide link to the product maintenance guide):*

No maintenance is required aside from cleaning during the normal course of use.
Spray plate can be removed for cleaning if blocked (no tools required).

Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?:

Yes No

If yes, description of the warning or ban under section 26:

Version:

Rev 2

Date:

DD / MM / YYYY
19 / 11 / 2025